

We are now trying to combine drift analysis and classical probabilistic methods.

References

1. A. Auger and B. Doerr (eds.) (2011), *Theory of Randomized Search Heuristics*, World Scientific, Singapore.
2. I. Wegener (2001), Methods for the analysis of evolutionary algorithms on pseudo-Boolean functions, in *Evolutionary Optimization*, Kluwer Academic Publishers, Dordrecht, pp.349-369.
3. P. S. Oliveto and X. Yao (2011), Runtime analysis of evolutionary algorithms for discrete optimization, in [1], pp.21-52.
4. T. Nakata and I. Kubo (2006), A coupon collector's problem with bonuses, in *Proceedings of Discrete Mathematics and Theoretical Computer Science*, **AG**, pp.215-224.
5. M. Iosifescu (1980), *Finite Markov chain processes and their applications*, John Wiley & Sons, New York.
6. H.-G. Beyer and H.-P. Schwefel (2002), Evolution Strategies: A comprehensive introduction, *Natural Computing*, **1**, pp.3-52.
7. J. W. J. Ewens (2004), *Mathematical Population Genetics. I. Theoretical Introduction*, Second Edition. Springer-Verlag, New York.
8. B. Hajek (1982), Hitting-time and occupation-time bounds implied by drift analysis with applications, *Advances in Applied Probability* **13**, pp.502-525.