

effectiveness of the suggested model. In addition, the number of criteria can be adjusted upon different cases if needed.

- (3) In the suggested model, the criteria structure is limited to one level. This may not be enough. If some parent criteria contain several sub-criteria and some of these sub-criteria further include several sub-sub-criteria, a hierarchical structure must be needed to describe this situation.

Acknowledgments

The author would like to thank anonymous referees for their insights and suggestions, which make a better presentation of this work. Special thanks to Elianti and Nguyen Khoa Tu Uye for their data collecting and typing. This work was supported in part by National Science Council, Taiwan, R.O.C., under Grant NSC 98-2410-H-218-008-MY2.

References

- [1] S. Abbasbandy and B. Asady, Ranking of fuzzy numbers by sign distance, *Information Sciences*, 176 (6), 2405-2416, 2006.
- [2] S. Abbasbandy and T. Hajjari, A new approach for ranking of trapezoidal fuzzy numbers, *Computers and Mathematics with Applications*, 57, 413-419, 2009.
- [3] W. Altman, What's the point of management consultants? *Engineering & Technology*, 3 (12), 80-83, 2008.
- [4] B. Asady, The revised method of ranking LR fuzzy number based on deviation degree, *Expert Systems with Applications*, 37, 5056-5060, 2010.
- [5] G. Bortolan and R. Degani, A review of some methods for ranking fuzzy numbers, *Fuzzy Sets and Systems*, 15 (1), 1-19, 1985.
- [6] C. Carlsson and R. Fullèr, Fuzzy multiple criteria decision making: Recent developments, *Fuzzy Sets and Systems*, 78 (2), 139-153, 1996.
- [7] U. Cebeci and D. Ruan, A multi-attribute comparison of Turkish quality consultants by fuzzy AHP, *International Journal of Information Technology & Decision Making*, 6 (1), 191-207, 2007.
- [8] C.T. Chen, A fuzzy approach to select the location of the distribution center, *Fuzzy Sets and Systems*, 118 (1), 65-73, 2001.
- [9] S.J. Chen and C.L. Hwang, *Fuzzy Multiple Attribute Decision Making*, Springer, Berlin, 1992.
- [10] C.C. Chou, A fuzzy MCDM method for solving marine transshipment container port selection problems, *Applied Mathematics and Computation*, 186 (1), 435-444, 2007.
- [11] T.Y. Chou, S.T. Chou and G.H. Tzeng, Evaluating IT/IS investments: A fuzzy multi-criteria decision model approach, *European Journal of Operational Research*, 173 (3), 1026-1046, 2006.
- [12] T.C. Chu and Y.C. Lin, An extension to fuzzy MCDM, *Computers & Mathematics with Application*, 27 (3), 445-454, 2009.
- [13] F. Creplet, D. Dupouet, F. Kem, B. Mehmanpazir and F. Munier, Consultants and experts in management consulting firms, *Research Policy*, 30 (9), 1517-1535, 2001.
- [14] D. Dubois and H. Prade, Operations on fuzzy numbers, *International Journal of Systems Science*, 9 (6), 613-626, 1978.
- [15] A. Kaufmann and M.M. Gupta, M.M., *Introduction to Fuzzy Arithmetic: Theory and Application*, Van Nostrand Reinhold, New York, 1991.
- [16] X.W. Liu and S.L. Han, Ranking fuzzy numbers with preference weighting function expectations, *Computers and Mathematics with Applications*, 49 (11-12), 1731-1753, 2005.
- [17] S. Ö nüt, S.S. Kara and E. Işık, Long term supplier selection using a combined fuzzy MCDM approach: A case study for a telecommunication company, *Expert Systems with Applications*, 36, 3887-3895, 2009.
- [18] R.A. Ribeiro, Fuzzy multiple attribute decision making: A review and new preference elicitation techniques, *Fuzzy Sets and Systems*, 78 (2), 155-181, 1996.
- [19] M. Saremi, S.F. Mousaui and A. Sanayei, TQM consultant selection in SMEs with TOPSIS under fuzzy environment, *Expert Systems with Application*, 36 (2), 2742-2749, 2009.
- [20] E. Triantaphyllou and C.T. Lin, Development and evaluation of five fuzzy multi-attribute decision-making methods, *International Journal of Approximate Reasoning*, 14 (4), 281-310, 1996.
- [21] T.G. Wang and H.F. Chen, Effects of internal support and consultant quality on the consulting process and ERP system quality, *Decision Support Systems*, 42 (2), 1029-1041, 2006.
- [22] X. Wang and E.E. Kerre, Reasonable properties for the ordering of fuzzy quantities (I) & (II), *Fuzzy Sets and Systems*, 118 (3), 375-385, 387-405, 2000.
- [23] Y.J. Wang and H.S. Lee, The revised method of ranking fuzzy numbers with an area between the centroid and original points, *Computers & Mathematics with Applications*, 55 (9), 2033-2042, 2008.
- [24] Y.M. Wang, J.B. Yang, D.L. Xu and K.S. Chin, 2006. On the centroids of fuzzy numbers, *Fuzzy Sets and Systems*, 157 (7), 919 – 926, 2006.
- [25] D. Yong, Z. Zhu and Q. Liu, Q., Ranking fuzzy numbers with an area method using radius of gyration, *Computers and Mathematics with Applications*, 51 (6-7), 1127-1136, 2006.
- [26] L.A. Zadeh, The concept of a linguistic variable and its application to approximate reasoning, part 1, 2 and 3, *Information Sciences*, 8 (3/4), 199-249/301-357, 1975; 9 (1), 43-80, 1976.
- [27] L.A. Zadeh, L.A., Fuzzy set, *Information and control*, 8 (3), 338-353, 1965.