









studies of this model will improve it and test among Brazilian states and cities.

---

## 5. Conclusions

Elaborating measurements of environmental health conditions using the Fuzzy Logic model has shown important perspectives. The fuzzy linguistic model demonstrated to be robust in the proposal of generating integrated measures of health and environment, presenting results in agreement with the Brazilian reality.

## Acknowledgement

This work was financially supported by CNPq and HCFMUSP/LIM01.

## References

- [1] W. Silvert, Ecological impact classification with fuzzy sets, *Ecological Modelling*, 96:1-10, 1997.
- [2] Z. Chen, L. Zhao, K. Lee, Environmental risk assessment of offshore produced water discharges using a hybrid fuzzy-stochastic modeling approach, *Environmental Modelling & Software*, 25:782–92, 2010.
- [3] S. Shan, L. Zhang, X. Wang, B. Chen, Township ecosystem health assessment based on fuzzy synthesis evaluation method: a case study of Tongzhou District, Beijing, China. *Front. Earth Sci. China*, 3(3): 312--319, 2009.
- [4] E. Massad, M.N. Burattini, N.R.S. Ortega, Fuzzy logic and measles vaccination: designing a control strategy, *International Journal of Epidemiology*, 28:550--7, 1999.
- [5] E. Massad, N.R.S. Ortega, L.C. Barros, C.J. Struchiner, *Fuzzy Logic in Action: applications in Epidemiology and beyond*, Heidelberg: Springer, 2008.
- [6] L.F.C. Nascimento, N.R.S. Ortega, Linguistic model for estimating the risk of neonatal death, *Public Health*, 36(6):686--92, 2002.
- [7] Brazilian Health Ministry internet site, [www.datasus.gov.br](http://www.datasus.gov.br), last access in December, 2010.