













- [9] S. Basu, M. Bilenko, and R.J. Mooney. A probabilist framework for semi-supervised clustering. In *Proceedings of the ACM SIGKDD International Conference on knowledge discovery and data mining*, pages 59–68, Seattle, WA, USA, 2004.
- [10] K. Wagstaff. Value, cost, and sharing: Open issues in constrained clustering. In Saso Dzeroski and Jan Struyf, editors, *Knowledge Discovery in Inductive Databases (KDID)*, volume 4747, pages 1–10, Berlin, Germany, September 2006. Springer.
- [11] I. Davidson and S. S. Ravi. Clustering with constraints: Feasibility issues and the k-means algorithm. In *Proceedings of the Fifth SIAM International Conference on Data Mining*, page 138, Newport Beach, CA, USA, 2005. Society for Industrial Mathematics.
- [12] Y. Liu, R. Jin, and A.K. Jain. Boostcluster: boosting clustering by pairwise constraints. In *Proceedings of the 13th ACM SIGKDD international conference on Knowledge discovery and data mining*, pages 450–459, San Jose, CA, USA, 2007.
- [13] V. Antoine, B. Quost, M.-H. Masson, and T. Dencœux. CECM: Adding pairwise constraints to evidential clustering. In *IEEE International Conference on Fuzzy Systems (FUZZ-IEEE)*, pages 879–886, Barcelona, Spain, July 2010.
- [14] V. Antoine, B. Quost, M.-H. Masson, and T. Dencœux. CECM: Constrained Evidential C-Means algorithm. *Computational Statistics and Data Analysis*, 2011. To appear.
- [15] S. Basu, A. Banerjee, and R.J. Mooney. Active semi-supervision for pairwise constrained clustering. In *Proceedings of the SIAM International Conference on Data Mining*, pages 333–344, Lake Buena Vista, FL, USA, 2004.
- [16] N. Grira, M. Crucianu, and N. Boujemaa. Active semi-supervised fuzzy clustering. *Pattern Recognition*, 41(5):1851–1861, 2008.
- [17] E. Xing, A. Ng, M. Jordan, and S. Russell. Distance metric learning with application to clustering with side-information. pages 521–528. MIT Press, Cambridge, MA, 2002.
- [18] D. Klein, S.D. Kamvar, and C.D. Manning. From instance-level constraints to space-level constraints: Making the most of prior knowledge in data clustering. In *Machine Learning - International Workshop -*, pages 307–314, Sidney, Australia, 2002.
- [19] G. Shafer. *A mathematical theory of evidence*. Princeton university press, Princeton, NJ, 1976.
- [20] A. Dempster. Upper and lower probabilities induced by multivalued mapping. *Annals of Mathematical Statistics*, AMS-38:325–339, 1967.
- [21] P. Smets and R. Kennes. The transferable belief model. *Artificial Intelligence*, 66:191–234, 1994.
- [22] R.R. Yager. On the normalization of fuzzy belief structures. *International Journal of Approximate Reasoning*, 14(2-3):127–153, 1996.
- [23] I. Borg and P. Groenen. Modern multidimensional scaling. *New York: Springer*, 1997.
- [24] I. Davidson S. S., K. Wagstaff, and S. Basu. Measuring constraint-set utility for partitional clustering algorithms. *Lecture Notes in Computer Science*, 4213:115–126, 2006.