









- [5] J.C. Fodor, M. Roubens (1995). Structure of transitive valued binary relations. *Math. Soc. Sci.* 30, 71-94.
- [6] L. Garmendia, R. González del Campo, V. López, J. Recasens (2009). An Algorithm to Compute the Transitive Closure, a Transitive Approximation and a Transitive Opening of a Fuzzy Proximity. *Mathware & Soft Computing* 16, 175-191.
- [7] J. Jacas (1990). Similarity relations - the calculation of minimal generating families. *Fuzzy Sets and Systems* 35, 151-162.
- [8] F. Klawonn, J. L. Castro (1995). Similarity in Fuzzy Reasoning. *Mathware & Soft Computing* 3, 197-228.
- [9] U. Höhle (1992) M-valued sets and sheaves over integral, commutative cl-monoids. In: S.E. Rodabaugh et al Eds. *Applications of Category Theory to Fuzzy Subsets*, Kluwer, 33-72.
- [10] M. Mas, M. Monserrat and J. Torrens (2003) QL-Implications on a finite chain. *Proc. Eusflat 2003*. Zittau. 281-284.
- [11] G. Mayor, J. Torrens (2005) Triangular norms on discrete settings. In: Klement, E.P., Mesiar, R. (Eds.), *Logical, Algebraic, Analytic, and Probabilistic Aspects of Triangular Norms*, Elsevier, Amsterdam. 189-230.
- [12] E. P. Klement, R. Mesiar, E. Pap (2000). *Triangular norms*. Kluwer. Dordrecht.
- [13] J.Recasens. (2011) Indistinguishability Operators. *Modelling Fuzzy Equalities and Fuzzy Equivalence Relations*. *Studies in Fuzziness and Soft Computing* 260. Springer.
- [14] B. Schweizer, A. Sklar (1983) *Probabilistic Metric Spaces*. North-Holland. Amsterdam.
- [15] L.Valverde (1985). On the structure of F-indistinguishability operators, *Fuzzy Sets and Systems* 17, 313-328.
- [16] L.A.Zadeh (1971). Similarity relations and fuzzy orderings, *Information Science* 3, 177-200.