

- dimensional structure analysis[J];Journal of Computer Applications;2010-12
- [4] XIE Di,SHANG Xue-qun,WANG Miao,ZHANG Yan-yuanSchool of Computer,Northwestern Polytechnical University,Xi'an 710072,China;Algorithm considering imbalance across datasets for mining frequent subgraphs[J];Computer Engineering and Applications;2008-36
- [5] LI Yu-hua,LUO Han-guo,SUN Xiao-lin (School of Computer Science and Technology,Huazhong University of Science and Technology,Wuhan 430074,China);A Frequent Subgraph Discovery Algorithm Based on Apriori's Idea[J];Computer Engineering & Science;2007-04
- [6] CHEN An-Long^{1,3}, TANG Chang-Jie¹, TAO Hong-Cai², YUAN Chang-An^{1,3}, XIE Fang-Jun¹ (1(College of Computer Science and Engineering, Sichuan University, Chengdu 610064, China) 2(College of Computer and Communication Engineering, Southwest Jiaotong University, Chengdu 610031, China) 3(Department of Information Technology, Guangxi Teachers'College, Nanning 530001, China);An Improved Algorithm Based on Maximum Clique and FP-Tree for Mining Association Rules[J];Journal of Software;2004-08
- [7] YUAN Wan-lian^{1,2},ZHENG Cheng¹,ZHAI Ming-qing² (1.School of Computer Science and Technology,Anhui University,Hefei 230039,China;2.Department of Mathematics,Chuzhou University,Chuzhou 239012,China);An Improvement on Apriori Algorithm[J];Computer Technology and Development;2008-05
- [8] WU Lei,HE Jia(School of Computers,CUIT,Chengdu 610225,China);Research of AprioriHybrl algorithm based on item sets matrix[J];Journal of Chengdu University of Information Technology;2009-01
- [9] Yao Qingshan¹,Zhang Chunxia^{2,3}(1.Henan Engineering Institute,Zhengzhou 451191,China; 2.Communication Vocational Technical College of Henan,Zhengzhou 450005,China; 3.Wuhan University,Wuhan 430072,China);Web Usage Mining System Based on Association Rule[J];Henan Science;2008-03
- [10] Zhang Meifeng¹ Zhang Jianwei¹ Zhang Xinjing² Lou Shuqin³ (Department of Computer Science and Engineering,Zhengzhou Institute of Light Industry,Zhengzhou450002) 2 (Department of Applied Mathematics and Physics,Zhengzhou Institute of Light Industry,Zhengzhou450002) 3 (School of Electronics and Information Engineering,Northern Jiaotong University,Beijing100044);Research on an Algorithm for Mining of Efficient Association Rules Based on Apriori[J];Computer Engineering and Applications;2003-19