







When come up with the photographic images and Compute graphics composites problems, the proposed method also has a good performance on detection of local forgeries.

#### REFERENCES

- [1] Lyu.S, Farid.H, "How realistic is photorealistic? ", IEEE Transactions on Signal Processing 53(2-2), 845–850 (2005).
- [2] T. T. Ng, S.F Chang, J. Hsu, L. X. Xie, M. P. Tsui, "Physics-Motivated Features for Distinguishing Photographic Images and Computer Graphics", In Proceeding of ACM Multimedia, Sigapore, pp.239-248,2005.
- [3] J. Lukáš, J. Fridich and M. Goljan, "Digital Camera Identification from Sensor Pattern Noise", IEEE Transactions on Information Forensics and Security, vol.1, no.2, pp.205-214, 2006.
- [4] S. Dehnie, T. Sencar, N. Memon, "Digital Image Forensics For Identifying Computer Generated and Digital Camera Images", In Proceedings of IEEE ICIP, pp.2313-2316,2006.
- [5] V. Conotter, L.Cording, "Detecting Photo Graphic and Computer Generated Composites", In Proceeding of SPIE, vol.7870, 78700A, 2011.
- [6] Ruoyu Wu, Xiaolong Li, Bin Yang, "Identifying computer generated graphics via histogram features", In Proceeding of IEEE ICIP, pp. 1933-1936, 2011.
- [7] K. Dabov, A. Foi, V. Katkovnik and K. Egiazarian, "Image denoising by sparse 3D transform-domain collaborative filtering", IEEE Transaction on Image Process. pp. 2080-2095, 2007.
- [8] Columbia University DVMN Research Lab: Columbia Photographic Images and Photorealistic Computer Graphics Dataset.