







## REFERENCES

- [1] L. Nancy, H. Breck, "Advances in lasers on a chip," *Photonics Spectra*, vol. 39, pp. 76-80, September 2005.
- [2] HOU Jie, QIAN Jiaru, and ZHANG Weijing, "2-D displacement measurement system based on image processing," *Journal of Tsinghua University (Science and Technology)*, vol. 50, pp. 826-829, June 2010.
- [3] HOU Shujuan, WU Siliang, "Measurement of miss distance for targets with known modes of motion," *Transaction of Beijing Institute of Technology*, vol. 25, pp. 625-627, July 2005.
- [4] R. Giuliana, "Grey level image components for multi-scale representation," *Lecture Notes in Computer Science*, 3287, pp. 574-579, 2004.
- [5] LI Haihua, YANG Liangen, and WANG Xuanze, "A method of getting displacement directly using standard reticle and CCD," *China Mechanical Engineering*, vol. 18, pp. 2881-2883, December 2007.
- [6] LI Penghui, ZHAO Wenguang, and ZHU Hongping, "Monitoring multi-dynamic displacements by digital image processing technology," *Journal of Huazhong University of Science and Technology. Nature Science*, vol. 39, pp. 80-84, February 2011.
- [7] XIANG Li, ZHANG Lin, and HE Wei, "Two-dimensional tiny displacement measurement based on SOPC and image processing," *Applied Science and Technology*, vol. 35, pp. 9-12, February 2008.
- [8] M. Chantler, "The effect of illuminant rotation on texture filters: Lissajous's ellipses," *Lecture Notes in Computer Science*, 2352, pp. 289-295, 2002.
- [9] DING Kang, "Time-shifting correcting method of phase difference on discrete spectrum," *Applied Mathematics and Mechanics*, vol. 23, pp. 819-827, July 2002.
- [10] H. Nobach, D. Nils, and T. Cam, "High-precision sub-pixel interpolation in particle image velocimetry image processing," *Experiments in Fluids*, vol. 39, pp. 299-304, February 2005.