







- and Computer (MEC2011), 2011, 430-433.
- [2] ZHU Aichun, HUA Wei, WANG Chun, WANG Yongxing. Research on the measurement of belt speed by video in coal mine based on improved template matching algorithm[J]. Journal of Coal Science & Engineering (China), 2011, 17(4): 469-474.
  - [3] Yong Xing Wang, Xiu Zhu Jiang. Face detection algorithm is based on the Coal mine video monitoring image[J]. Science Paper Online.2012.1
  - [4] recognition[J]. Pattern Recognition Letters, 2006,27(6):609-617.
  - [5] Gang Hua, Lei Zhou. Attention Computation Model for Coal-mine Surveillance Video Based on Non-uniform Sampling in Spatial Domain and Time Domain[J]. PrimeAsia 2010, 107-110. (2011596513)
  - [6] Hua Gang , Wang Hong-Yao.Improving SNR of MFL signal in flaw detection of coal mine wire ropes[J]. CISP 2009, 2009.9 (20100212631681).
  - [7] Ming Wang. Face Recognition Based on Whole and Part Singular Value Decompose[J]. Control and Automation Publication Group. 2009. 07-2-0203-02(25).203-204.
  - [8] D. CAI, X. HE, Y. HU, et al. Learning a spatially smooth subspace for face recognition[C]. IEEE Conference on Computer Vision and Pattern Recognition, 2007, 1-8, 650-656.
  - [9] T. KIM, J. KITTLER, AND R. CIPOLLA. Learning Discriminative Canonical Correlations for Object Recognition with Image Sets[J]. Lecture Notes in Computer Science, 2006, 3953:251.
  - [10] T. KIM, J. KITTLER, AND R. CIPOLLA. Discriminative Learning and Recognition of Image Set Classes Using Canonical Correlations[J]. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2007, 1005-1018.