

## Spontaneous Construction of higher order Voronoi Diagram

Hongmei Yang

Department of Mathematics and Physics  
Chengde Petroleum College  
Chengde, China  
ye\_box@163.com

Huaying Yin

Department of Mathematics and Physics  
Chengde Petroleum College  
Chengde, China  
Liuxincd@163.com

**Abstract**—The higher order Voronoi diagrams are difficult to construct because of their complicated structures. In traditional algorithm, production process was extremely complex. While spontaneous algorithm is only concerned with positions of generators, so it is effective for constructing Voronoi diagrams with complicated shapes of Voronoi polygons. It can be applied to higher order Voronoi diagram with any generators, and can get over most shortcomings of traditional algorithm. So it is more useful and effective. Model is constructed with spontaneous algorithm. And the application example shows that the algorithm is both simple and useful, and it is of high potential value in practice.

**Keywords**- Voronoi diagram; generator; spontaneous; higher order

### I. INTRODUCTION

As a branch of Computational Geometry, Voronoi diagram has been quickly developed on account of the development of theory and the need of application. We have already noted that the concept of the Voronoi diagram is used extensively in a variety of disciplines and has independent roots in many of them. Voronoi diagram was appeared in meteorology, biology discipline and so on. [1-3] Higher order Voronoi diagram is an important concept of it. And it can be used for spatial interpolation, which is applied in statistical estimation as well as in cartography. The multiplicatively weighted higher order Voronoi diagram has been used for retail trade area analysis. More and more people pay attention to the algorithm that can construct higher order Voronoi diagram fast and effectively [4-6]. We investigate a spontaneous method for constructing, and it proved to be satisfactory by experiment.

### II. DEFINITIONS

A. *Definition 1 (A Planar Ordinary Voronoi Diagram)* [7]

Given a finite number of distinct points in the Euclidean plane

$$P = \{p_1, p_2, \dots, p_n\} \subset R^2, \text{ where } 2 < n < +\infty,$$

$x_i \neq x_j$ , for  $i \neq j, i, j \in I_n$ .

We call the region given by

$$V(p_i) = \left\{ x \mid \|x - p_i\| \leq \|x - p_j\| \text{ for } j \neq i, j \in I_n \right\} \quad (1)$$

the planar ordinary Voronoi polygon associated with  $p_i$ , and the set given by

$$V = \{V(p_1), V(p_2), \dots, V(p_n)\} \quad (2)$$

the planar ordinary generated by  $P$  (or the Voronoi diagram of  $P$ ) [8]. We call  $p_i$  of  $V(p_i)$  the generator point or generator of the  $i$ th Voronoi, and the set  $P = \{p_1, p_2, \dots, p_n\}$  the generator set of the Voronoi diagram (in the literature, a generator point is sometimes referred to as a site), as shown in Figure 1.




Figure 1. A planar ordinary Voronoi diagram, There are 13 points in the plane, which are generator..

B. *Definition 2 (Higher order Voronoi Diagram)* [9]

In the ordinary Voronoi diagram, a generator is a point  $p_i$ , or a generator set  $P = \{p_1, p_2, \dots, p_n\}$  of points, we consider the family of generalized Voronoi diagrams generated by a set of all possible subsets consisting of  $k$  points out of  $P$ , i.e.

$$A^{(k)}(P) = \left\{ \{p_{11}, \dots, p_{1k}\}, \dots, \{p_{l1}, \dots, p_{lk}\} \right\} \quad (3)$$

Here  $p_{ij} \in P$ ,  $l = \frac{n!}{k!(n-k)!}$ . We call this family the higher-order Voronoi diagram.

Here the 'order' means the number of points constituting a generator and 'higher' means more than one point. Note that 'higher' does not refer to the dimension of a space [10].

Let  $A^{(k)}(P)$  be the set of all possible subsets consisting of  $k$  points out of  $P$ , i.e. We call the set given by

$$V(P_i^{(k)}) = \left\{ p \mid \max_{p_h} \{d(p, p_h) \mid p_h \in P_i^{(k)}\} \leq \min_{p_j} \{d(p, p_j) \mid p_j \in P \setminus P_i^{(k)}\} \right\} \quad (4)$$

The higher order Voronoi polygon associated with  $P_i^{(k)}$ , and the set of higher order Voronoi polygons,  $V(A^{(k)}(P), d, R^m) = V(k) = \{V(P_1^{(k)}), \dots, V(P_n^{(k)})\}$ , the higher order Voronoi diagram generated by  $P$ , as shown in Figure 2.




Figure 2. An order-2 Voronoi diagram in which the region with the symbol indicates the order-2 Voronoi polygon of .

### III. SPONTANEOUS CONSTRUCTION OF HIGHER ORDER VORONOI DIAGRAM

#### A. Outline of Spontaneous Algorithm

Suppose that there are  $n$  generator points in the Euclidean plane, and we will construct higher order voronoi diagram. First, we divide colors range of computer into  $K$  parts, and assign different colors within first part for different generator points. Then use spontaneous algorithm constructing Voronoi diagram. In the process of spreading out, every time before assign a color value to a pixel, we should make a judgment: assign a pixel the color of the generator point if it is background color; assign it the color of the  $i$ th part if it is the color of the  $i$ th part; and stop spreading out if it is the color of the  $i$ th part. The procedure end when all points on screen are marked color. This time, we get the Voronoi diagram.

#### B. Algorithm

Input:  $p_1, p_2, \dots, p_n, k$ . Here,  $p_i$  is generator,  $k$  is the order.

Output: order- $k$  Voronoi diagrams generated by those generators.

Step 1: suppose the colors range of possibilities is from 1 to  $N$ , and divide

it into  $K$  parts:  
 $1 \sim N_1, N_1+1 \sim N_2, \dots, N_{k-1}+1 \sim N_k$ .

Here,  $N_k \leq N$ ,

$$N_1 - N_0 = N_2 - N_1 = \dots = N_k - N_{k-1}, n \leq N_1 - 1.$$

Assign generator points  $p_i$  with color  $i$ ,  
 (2)  $i=1, 2, \dots, n$ ;  
 (3)  $i=1, 2, \dots, n$ ;

Step 2: Built linked lists, that holds generators' data including: abscissa 'x', ordinate 'y', color 'i';

Step 3: Initialize screen as white color. define a pointer  $p$  to linked lists,

$j=1$ ;

Step 4: Generate data sheet of  $\Delta x$ ,  $\Delta y$ , and  $r2$

Step 5: When  $p$  is not empty, do loop:

```

{ (1) Read data of row  $k$ :  $\Delta x$ ,  $\Delta y$ , and  $r2$ ;
  (2) read  $p \rightarrow x$ ,  $p \rightarrow y$ ,  $p \rightarrow color$ ;
      if  $p \rightarrow color = 0$ 
      then {SetPixel ( $p \rightarrow x \pm \Delta x$ ,  $p \rightarrow y \pm \Delta y$ ,  $p \rightarrow color = N_1 + p \rightarrow color$ );
            else if  $p \rightarrow color =$  the color of the  $i$ th part
            then { SetPixel ( $p \rightarrow x \pm \Delta x$ ,  $p \rightarrow y \pm \Delta y$ ,  $N_1 + p \rightarrow color$ ); }
            else { record the point;
                  if points form a closed circumference
                  then delete the node which 'p' pointed to from list;
                  if 'p' point to the end of
                  then  $k++$ , let 'p' point to the first node of list;
                  else  $p++$ ; }
            }
  }
```

Step 6: Do landscape and portrait scanning for screen separately. When color of one pixel point is different with the next one, assign black color to it;

Step 7: Do landscape and portrait scanning for screen separately. Let pixel point white color if it is not black;

#### C. Judgment of Region of Higher Order Voronoi Diagram

In the generation of process, we need always judge how many times a pixel be deal with. The method is as the following:

We suppose that there are  $n$  generator points. First, Assign color value  $c_i$  ( $i=1, 2, \dots, n, c_i \in [a, b]$ ) to every generator point, and the color of other pixel is white (value is 0). Given:  $s > \sum c_i$ . If a pixel was assigned a color, the

color of the pixel is the sum of value in present and  $s$ . And it is denoted as  $ss$ . Now if a pixel was deal with  $d$  times,

$$\lfloor ss/s \rfloor = d.$$

When the color value of a pixel is  $k$ , it belongs to a region of higher order Voronoi diagram generated by that generator point that extend to it. This time, we can do deal with next pixel. Otherwise, let the color value of the pixel is the sum of value in present, value of generator point.

#### D. 4 Practical Application.

First, we need to manufacture a table of distance (See Table 1.).

order	1	2	3	4	5	6	7	8	9	...
$\Delta x$	1	1	2	2	2	3	3	3	4	...
$\Delta y$	0	1	0	1	2	0	1	2	0	...
$r^2$	1	2	4	5	8	9	10	13	16	...

Table 1. Table of distance

The table of distance consists of  $\Delta x$ ,  $\Delta y$  and  $r^2$ :  $\Delta x$  and  $\Delta y$  are both natural numbers ( $\Delta x \geq \Delta y$ ,  $r^2 = (\Delta x)^2 + (\Delta y)^2$ ), and is arranged in sequence of  $r^2$  from small to big. When we draw a circle around the generator point  $p(x, y)$ , take out a set of data of  $(\Delta x, \Delta y)$  in the order shown. And process is as follows:

1. if  $\Delta x \neq 0, \Delta y = 0$ , do:

$(x + \Delta x, y)$ ,  $(x, y - \Delta y)$ ,  $(x - \Delta x, y)$ ,  $(x, y + \Delta y)$   
 $(\Delta x = 2$  and  $\Delta y = 0$ , for example, see Figure 3(a).);

2. if  $\Delta x \neq 0, \Delta y \neq 0$  and  $\Delta x = \Delta y$ , do:

$(x + \Delta x, y + \Delta y)$ ,  $(x + \Delta x, y - \Delta y)$ ,  $(x - \Delta x, y - \Delta y)$ ,  
 $(x - \Delta x, y + \Delta y)$  ( $\Delta x = 2$  and  $\Delta y = 2$ , for example, see

Figure 3(b).);

3. if  $\Delta x \neq 0, \Delta y \neq 0$  and  $\Delta x \neq \Delta y$ , do:

$(x + \Delta x, y + \Delta y)$ ,  $(x + \Delta x, y - \Delta y)$ ,  $(x - \Delta x, y - \Delta y)$ ,  
 $(x - \Delta x, y + \Delta y)$ ,  $(x + \Delta y, y + \Delta x)$ ,  $(x + \Delta y, y - \Delta x)$ ,  
 $(x - \Delta y, y - \Delta x)$ ,  $(x - \Delta y, y + \Delta x)$  ( $\Delta x = 3$  and  $\Delta y = 2$ ,  
for example, see Figure 3(c).);




Figure 3. When draw a circle around a generator point, different conditions should be discussed.

Now we take 3 generator points as the example, and construct higher order Voronoi diagram using spontaneous algorithm.

We construct the higher order Voronoi diagram with 100 generator points and 200 generator points respectively by VC++6.0. As shown in Figure 4 and Figure 5.

## IV. CONCLUSIONS

In this paper, we give a spontaneous algorithm of constructing higher order Voronoi diagram. The method is simple, practical and has strong universality and remarkable effect. The experimental results indicate that it has unique advantage in the construction of higher order Voronoi diagrams, and it is of high potential value in practice.

## REFERENCES

- [1] G.Voronoi, Nouvelles.: applications des paramètres continus à la théorie des formes quadratiques. Premier Mémoire: Sur quelques Propriétés des formes quadratiques positives parfaites, J.Reine Angew, Math. 133, 97--178 (1907)
- [2] K.L.Clarkson.: New applications of random sampling in computational geometry. J. Discrete and Computational Geometry. 2, 195--222 (1987)
- [3] Avneesh Sud, Naga Govindaraju, Russell Gayle, Dinesh Manocha, Z. : Interactive 3D distance field computation using linear factorization. In: Proceedings of the 2006 symposium on Interactive 3D graphics and games, pp. 14-17. Redwood City, California (2006)
- [4] Bo Qian, Lichao Zhang, Yusheng Shi, Bing Liu.: New Voronoi Diagram Algorithm of Multiply-Connected Planar Areas in the Selective Laser Melting. J. Tsinghua Science & Technology. 14, 137-143 (2009)
- [5] F. Aurenhammer, R.L.S. Drysdale, H. Krasser.: Farthest line segment Voronoi diagrams. Information Processing Letters. 100, 220--225 (2006)
- [6] Jun Chen, Renliang Zhao, Zhilin Li.: Voronoi-based k-order neighbour relations for spatial analysis. J. ISPRS Journal of Photogrammetry and Remote Sensing. 59, 60--72 (2004)
- [7] Ickjai Lee, Kyungmi Lee.: A generic triangle-based data structure of the complete set of higher order Voronoi diagrams for emergency management. Computers, Environment and Urban Systems. 33, 90--99 (2009)
- [8] S. Cabello, M. Fort, J.A. Sellarès.: Higher-order Voronoi diagrams on triangulated surfaces. J. Information Processing Letters. 109, 440--445 (2009)
- [9] Yugong Wu, Weibin Zhou, Bu Wang, Fan Yang.: Modeling and characterization of two-phase composites by Voronoi diagram in the Laguerre geometry based on random close packing of spheres. Computational Materials Science. 47, 951--96, 2010
- [10] János Szabó Ferenc, Zoltán Nádai.: On the size distribution of Poisson Voronoi cells. Physica A: Statistical Mechanics and its Applications. 385, 518--526 (2007)
- [11] Ye Zhao, Yajing Zhang. Dynamic construction of voronoi diagram for figures. Proceeding 2009 IEEE 10th International Conference on Computer-Aided Industrial Design & Conceptual Design: E-Business, Creative Design, Manufacturing- CAID & CD 2009, 26-29, pp: 2189 -2192.
- [12] Ye Zhao, Shu-juan Liu, Yi-li Tan. Discrete construction of order-k voronoi diagram. ICICA'10 Proceedings of the First international conference on Information computing and applications Springer-Verlag Berlin, Heidelberg 2010, pp: 79-85.
- [13] Ye Zhao, Ya-Jing Zhang, Qing-Hong Zhang: Discrete construction of Voronoi diagrams for cross generators. 2010 International Conference

on Machine Learning and Cybernetics, ICMLC 2010, 3, pp: 1556-1559.

[14] Ya-Jing Zhang, Ye Zhao, Jing Zhou, Xue-Fei Li, Jun-Jian Qiao. Optimum location on fuzzy clustering method. 2010 International

Conference on Machine Learning and Cybernetics, ICMLC 2010, 4, .pp: 2094-2098.

[15] Wu Ran, Ye Zhao. Discrete Construction of Network Voronoi Diagram. ICMCI2010, pp: 630-632.




Figure 4. The order-3 Voronoi diagram with 4 generator points constructed with spontaneous algorithms




Figure 5. The order-5 Voronoi diagram with 12 generator points constructed with spontaneous algorithms