





TABLE 1 Part Simulation Results of Measuring Data

Measuring concentration( $10^{-6}$ )			Simulation results of model( $10^{-6}$ )			Reference errors(%)		
NO <sub>2</sub>	SO <sub>2</sub>	NO	NO <sub>2</sub>	SO <sub>2</sub>	NO	NO <sub>2</sub>	SO <sub>2</sub>	NO
0	281.7	1166.2	0.7	279.4	1162.0	0.098	0.31	0.36
0	423.1	1166.2	1.3	427.2	1174.8	0.18	0.55	0.74
0	741.6	1166.2	3.2	735.0	1164.7	0.45	0.89	0.13
194.3	281.7	0	198.3	281.9	1.2	0.56	0.027	0.10
194.3	423.1	0	191.3	421.7	1.1	0.42	0.19	0.094
194.3	741.6	0	193.2	740.9	1.5	0.15	0.094	0.13
194.3	0	305.4	195.5	0.9	308.1	0.17	0.12	0.23
539.8	0	305.4	538.1	0.4	300.6	0.24	0.054	0.41
539.8	281.7	305.4	539.1	283.7	300.5	0.098	0.27	0.42
539.8	423.1	305.4	538.8	420.0	301.0	0.14	0.42	0.38
539.8	741.6	305.4	534.3	741.0	298.0	0.77	0.080	0.63
712.4	281.7	1166.2	711.0	281.3	1159.8	0.20	0.054	0.55
712.4	423.1	1166.2	708.4	420.1	1160.9	0.56	0.40	0.45
712.4	741.6	1166.2	707.6	738.5	1161.6	0.67	0.42	0.40

TABLE 2 Linearity of the Three Gases

Gas	The maximum reference errors( $10^{-6}$ )	Measurement range( $10^{-6}$ )	Linearity(%)
NO <sub>2</sub>	0.3	712	0.04
SO <sub>2</sub>	2.2	740	0.30
NO	6.4	1166	0.55

## V. Conclusion

The accuracy of SVM model largely depends on the selection of relevant parameters. This paper has solved the problem of parameter optimization by introducing PSO algorithm. The SVM model has been established by the sample of measurement data and evaluated at the same time. As the experimental results shown, the gas sensor model based on SVM with PSO has high accuracy by comparing with the measured data. is less than 1% and meet the requirements of the accuracy.

## References

- [1] Y Zhang, X Xu, Z Wang. An overview on support vector machine and time series prediction. *Computer Applications and Software*, 2010,27 (12):127-157.
- [2] N Deng, Y Tian. *An New Method of Data Mining— Support Vector Machine*. Beijing: Science Publishing Company, 2004.
- [3] J Kennedy, R C Eberhart. Particle Swarm optimization// *Proceedings of IEEE International Conference on Neural Networks*, 1995:1942-1948.
- [4] B F Vanden, A P Engelbrecht. A cooperative approach to particle swarm optimization. *IEEE Transactions on Evolutionary Computation*, 2004,8(3):225-239.
- [5] V N Vapnik. An overview of statistical learning theory. *IEEE Trans on Neural Network*, 1999,10 (5): 988-999.
- [6] V N Vapnik. *The Nature of Statistical Learning Theory*. New York: Springer, 1995.
- [7] J A K Suykens, J Vandewalle. Recurrent least squares support vector machines. *IEEE Transactions Circuits and System I*, 2000, 47(7): 1109-1114.
- [8] W Liu, Q Cai, H Liu. Particle swarm optimization algorithm based on parametric equation method to handle equality constraints. *Computer Engineering and Design*, 2008, 29(3): 697-699.
- [9] X Sun, S Zhao, Z Yan. Antisubmarine Search Research on the Optimization of Particle Swarm. *Microelectronics & Computer*, 2008,25(10):91-93.
- [10] [X Wei, Y Zhou. Numerical Integral Method Research Based on PSO. *Microelectronics & Computer*, 2009,26(7):117-119.
- [11] Y Shi, R C Eberhart. Parameter selection in particle swarm optimization. *Evolutionary Programming VII*, New York, 1998: 591-600.
- [12] Y Shi, R C Eberhart. A modified particle swarm optimizer. *Proceedings of the IEEE International Conference on Evolutionary Computation*, 1998:69-73.