







## References

- [1] C. Alsina, M.J. Frank and B. Schweizer, *Associative Functions: Triangular Norms and Copulas*, World Scientific, Singapore, 2006.
- [2] B. De Baets, H. De Meyer and M. Úbeda-Flores, Opposite diagonal sections of quasi-copulas and copulas, *Internat. J. Uncertainty, Fuzziness and Knowledge-Based Systems*, 17:481–490, 2009.
- [3] B. De Baets and J. Fodor, *Additive fuzzy preference structures: the next generation*, in: Principles of Fuzzy Preference Modelling and Decision Making (B. De Baets and J. Fodor, eds.), Academia Press, 2003, pp. 15–25.
- [4] B. De Baets, S. Janssens and H. De Meyer, On the transitivity of a parametric family of cardinality-based similarity measures, *Internat. J. Approximate Reasoning*, 50:104–116, 2009.
- [5] S. Díaz, S. Montes and B. De Baets, Transitivity bounds in additive fuzzy preference structures, *IEEE Trans. Fuzzy Systems*, 15:275–286, 2007.
- [6] F. Durante, E.P. Klement, R. Mesiar and C. Sempi, Conjunctors and their residual implicators: characterizations and construction methods, *Mediterranean Journal of Mathematics* 4:343–356, 2007.
- [7] F. Durante, A. Kolesárová, R. Mesiar and C. Sempi, Copulas with given values on a horizontal and a vertical section, *Kybernetika*, 43:209–220, 2008.
- [8] F. Durante, J.J. Quesada Molina and C. Sempi, Semicopulas: characterizations and applicability, *Kybernetika*, 42:287–302, 2006.
- [9] F. Durante and C. Sempi, Semicopulae, *Kybernetika*, 41:315–328, 2005.
- [10] F. Durante and F. Spizzichino, Semi-copulas, capacities and families of level sets, *Fuzzy Sets and Systems*, 161:269–276, 2010.
- [11] C. Genest, J.J. Quesada Molina, J.A. Rodríguez Lallena and C. Sempi, A characterization of quasi-copulas, *Journal of Multivariate Analysis*, 69:193–205, 1999.
- [12] P. Hájek and R. Mesiar, On copulas, quasicopulas and fuzzy logic, *Soft Computing*, 12:1239–1243, 2008.
- [13] S. Janssens, B. De Baets and H. De Meyer, Bell-type inequalities for quasi-copulas, *Fuzzy Sets and Systems*, 148:263–278, 2004.
- [14] H. Joe, *Multivariate Models and Dependence Concepts*, Chapman & Hall, London, 1997.
- [15] T. Jwaid, B. De Baets and H. De Meyer, Orbital semilinear copulas, *Kybernetika*, 45:1012–1029, 2009.
- [16] T. Jwaid, B. De Baets and H. De Meyer, Biconic aggregation functions, *Information Sciences*, 187:129–150, 2012.
- [17] T. Jwaid, B. De Baets and H. De Meyer, Lower semiquadratic copulas with a given diagonal section, *Journal of Statistical Planning and Inference*, 143:1355–1370, 2013.
- [18] T. Jwaid, B. De Baets, J. Kalická and R. Mesiar, Conic aggregation functions, *Fuzzy Sets and Systems*, 167:3–20, 2011.
- [19] E. Klement, A. Kolesárová and R. Mesiar, Copulas constructed from horizontal sections, *Communications in Statistics: Theory and Methods*, 36:2901–2911, 2007.
- [20] A. Kolesárová, 1-Lipschitz aggregation operators and quasi-copulas, *Kybernetika*, 39:615–629, 2003.
- [21] R. Nelsen, *An Introduction to Copulas*, Springer, New York, 2006.
- [22] J. Rodríguez-Lallena, A class of copulas with piecewise linear horizontal sections, *Journal of Statistical Planning and Inference*, 139:3908–3920, 2009.
- [23] A. Sklar, Fonctions de répartition à  $n$  dimensions et leurs marges, *Publ. Inst. Statist. Univ. Paris*, 8:229–231, 1959.